

**EZ CHAR- activated charcoal pellet
Padagis US LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo EZ Char® Drug Facts

Active ingredient (in each bottle)

Activated charcoal 25 grams

Purpose

Poison adsorbent

Use

for emergency use to adsorb swallowed poisons

Warnings

- do not give activated charcoal until after the patient has vomited unless directed by health professional
- do not use in persons who are not fully conscious
- do not use this product, unless directed by health professional, if turpentine, corrosives, such as alkalies (lye) and strong acids, or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish, have been ingested
- TAMPER EVIDENT: DO NOT USE IF PROTECTIVE SEAL IS BROKEN OR MISSING

Keep out of reach of children.

In case of accidental ingestion, contact a Poison Control Center immediately.

Directions

Remove Seal. Reconstitute into an oral suspension by adding 4 oz. of water to bottle, replacing cap and shaking well, or by pouring contents into a separate container, adding 4 oz. water, and stirring thoroughly.

USE IMMEDIATELY, DO NOT STORE RECONSTITUTED PRODUCT.

6 to 12 lb	1 to 2 TBS of reconstituted liquid
12 to 24 lb	2 to 4 TBS of reconstituted liquid

24 to 48 lb	4 to 8 TBS of reconstituted liquid
48 lb +	entire amount of reconstituted liquid

Repeat dose immediately, if necessary.

Other information

- each bottle contains: magnesium 35 mg, potassium 18 mg, sodium 57 mg
- if previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying
- keep patient active and moving
- save the container of poison
- store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]

Inactive ingredient

bentonite

Questions?

1-800-328-5113 Serious side effects associated with use of this product may be reported to this number.

Package/Label Principal Display Panel

EZ Char®

ACTIVATED CHARCOAL PELLETS

POISON ADSORBENT

Read label warnings and directions upon buying this product. For help using this product call a Poison Control Center, emergency medical facility, or health professional. If help cannot be reached quickly, follow the directions on the label. In case of poisoning call your Poison Control Center at 1-800-222-1222.

NET WEIGHT 0.88 oz (25 grams)

NDC 0574-0122-25

EZChar[®]

ACTIVATED CHARCOAL PELLETS

POISON ADSORBENT

Read label warnings and directions upon buying this product. For help using this product call a Poison Control Center, emergency medical facility, or health professional. If help cannot be reached quickly, follow the directions on the label. In case of poisoning call your Poison Control Center at 1-800-222-1222.

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NET WEIGHT 0.88 oz (25 grams)

Drug Facts

Active Ingredient (In each bottle)	Purpose
Activated charcoal 25 grams	Poison adsorbent

Use for emergency use to absorb swallowed poisons

Warnings

- do not give activated charcoal until after the patient has vomited unless directed by health professional
- do not use in persons who are not fully conscious
- do not use this product, unless directed by health professional, if turpentine, cosmetics, such as alkalis (lye) and strong acids, or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish, have been ingested
- TAMPER EVIDENT: DO NOT USE IF PROTECTIVE SEAL IS BROKEN OR MISSING

Keep out of the reach of children. In case of accidental ingestion, contact a Poison Control Center immediately.

Directions Remove Seal. Reconstitute into an oral suspension by adding 4 oz. of water to bottle, replacing cap and shaking well, or by pouring contents into a separate container, adding 4 oz. water, and stirring thoroughly. USE IMMEDIATELY, DO NOT STORE RECONSTITUTED PRODUCT.

6 to 12 lb	1 to 2 TBS of reconstituted liquid
12 to 24 lb	2 to 4 TBS of reconstituted liquid
24 to 48 lb	4 to 8 TBS of reconstituted liquid
48 lb +	entire amount of reconstituted liquid

Repeat dose immediately, if necessary.

Drug Facts (continued)

Other Information

- each bottle contains: magnesium 35 mg, potassium 18 mg, sodium 57 mg
- if previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying
- keep patient active and moving
- save the container of poison
- store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]

Inactive Ingredient bentonite

Questions? 1-800-328-5113 Serious side effects associated with use of this product may be reported to this number.

Manufactured By

Perrigo[®]

Minneapolis, MN 55427

www.perrigo.com

2200750 Rev 05-19 B 356C7 RT F1



N 3 0574-0122-25 9

EZ CHAR

activated charcoal pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0574-0122
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	25 g in 25 g

Inactive Ingredients

Ingredient Name	Strength
BENTONITE (UNII: A3N5ZCN45C)	

Product Characteristics

Color	BLACK	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:0574-0122-25	25 g in 1 BOTTLE; Type 0: Not a Combination Product	01/14/2002	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part357	01/14/2002		

Labeler - Padagis US LLC (967694121)

Revised: 12/2021

Padagis US LLC