## MAGNESIA ACETICA- magnesia acetica pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## MAGNESIA ACETICA 6C

Min. net wt: 5g of pellets

## HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a

■ If symptoms health professional before use. persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## **MAGNESIA ACETICA 30C**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as diarrhea. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

# MAGNESIA ACETICA 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

## HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# MAGNESIA ACETICA 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## **MAGNESIA ACETICA** 100C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as diarrhea. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

# MAGNESIA ACETICA 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# MAGNESIA ACETICA 100C

Min. net wt: 30g of pellets

## HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# MAGNESIA ACETICA 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## **MAGNESIA ACETICA** 200C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as diarrhea. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

# MAGNESIA ACETICA 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# MAGNESIA ACETICA 200C

Min. net wt: 30g of pellets

## HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# MAGNESIA ACETICA 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## **MAGNESIA ACETICA** 500C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as diarrhea. Keep out of reach of children Directions: Take 5 pellets orally once

sucrose 00000

Inactive ingredients:

# TWIST TO OPEN - USE ONLY IF SEALED

# MAGNESIA ACETICA 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# MAGNESIA ACETICA 500C

Min. net wt: 30g of pellets

## HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# MAGNESIA ACETICA 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## MAGNESIA ACETICA 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose

00000

hnemann Labs Inc. 1940 Fourth St. San Rafael, C.
TWIST TO OPEN - USE ONLY IF SEALE

Min. net wt: 5g of pellets

## HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## MAGNESIA ACETICA 10M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

memann Labs Inc. 1940 Fourth St. San Rafael, CA
TWIST TO OPEN - USE ONLY IF SEALEI

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

# MAGNESIA ACETICA 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

**Directions:** Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

### **MAGNESIA ACETICA**

magnesia acetica pellet

				ation	

**Product Type** 

HUMAN OTC DRUG

**Item Code (Source)** 

NDC:37662-2798

**Route of Administration** 

**ORAL** 

**Active Ingredient/Active Moiety** 

Ingredient Name	Basis of Strength	Strength
MAGNESIUM ACETATE TETRAHYDRATE (UNII: 101G0EJC3B) (MAGNESIUM	MAGNESIUM ACETATE	6 [hp_C]
CATION - UNII:T6V3LHY838)	TETRAHYDRATE	0 [b_0]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 2798-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023				
2	NDC:37662- 2798-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023				
3	NDC:37662- 2798-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023				

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved homeopathic		03/09/2023				

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2803			
Route of Administration	ORAL					

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
MAGNESIUM ACETATE TETRAHYDRATE (UNII: 101G0EJC3B) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM ACETATE TETRAHYDRATE	500 [hp_C]				

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	2mm			
Flavor		Imprint Code				
Contains						

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2803-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023			
2	NDC:37662- 2803-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023			
3	NDC:37662- 2803-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023			
4	NDC:37662- 2803-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023			

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved homeopathic		03/09/2023				

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2805
Route of Administration	ORAL		

l	Active Ingredient/Active Moiety		
l	Ingredient Name	Basis of Strength	Strength
	MAGNESIUM ACETATE TETRAHYDRATE (UNII: 101G0EJC3B) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM ACETATE TETRAHYDRATE	10 [hp_M]

Inactive Ingredients	
Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 2805-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023		
2	NDC:37662- 2805-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023		
3	NDC:37662- 2805-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023		
4	NDC:37662- 2805-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		03/09/2023		

## **MAGNESIA ACETICA**

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2800
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
MAGNESIUM ACETATE TETRAHYDRATE (UNII: 101G0EJC3B) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM ACETATE TETRAHYDRATE	30 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 2800-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023		
2	NDC:37662- 2800-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023		
3	NDC:37662- 2800-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023		
4	NDC:37662- 2800-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023		

olication Number or Monograph Citation	Marketing Start Date	Marketing End Date
	03/09/2023	
)		Citation Date

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2801		
Route of Administration	ORAL				

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
MAGNESIUM ACETATE TETRAHYDRATE (UNII: 101G0EJC3B) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM ACETATE TETRAHYDRATE	100 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score

Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

F	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2801-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023			
2	NDC:37662- 2801-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023			
3	NDC:37662- 2801-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023			
4	NDC:37662- 2801-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		03/09/2023		

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2802		
Route of Administration	ORAL				

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
MAGNESIUM ACETATE TETRAHYDRATE (UNII: 101G0EJC3B) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM ACETATE TETRAHYDRATE	200 [hp_C]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 2802-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023		
2	NDC:37662- 2802-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023		
3	NDC:37662- 2802-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023		
4	NDC:37662- 2802-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023		

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
unapproved homeopathic		03/09/2023			

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2804	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
MAGNESIUM ACETATE TETRAHYDRATE (UNII: 101G0EJC3B) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM ACETATE TETRAHYDRATE	1 [hp_M]		

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2804-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023			
2	NDC:37662- 2804-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023			
3	NDC:37662- 2804-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023			
4	NDC:37662- 2804-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023			

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
unapproved homeopathic		03/09/2023			

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2799	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
MAGNESIUM ACETATE TETRAHYDRATE (UNII: 101G0EJC3B) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM ACETATE TETRAHYDRATE	12 [hp_C]		

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date

	NDC:37662- 2799-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/09/2023	
	NDC:37662- 2799-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023	
-	NDC:37662- 2799-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/09/2023	

Start Marketing End Date

## Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment							
Name	Address	ID/FEI	Business Operations				
Hahnemann Laboratories, INC.		147098081	manufacture(37662-2798, 37662-2799, 37662-2800, 37662-2801, 37662-2802, 37662-2803, 37662-2804, 37662-2805)				

Revised: 3/2023 Hahnemann Laboratories, INC.