CONRX EXTRA STRENGTH- acetaminophen tablet Eagle Distributors, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ConRx™ Extra Strength

Important: Read all product information before using. Keep this box for important information.

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Use

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 6 caplets (3,000 mg) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

• do not take more than directed (see overdose warning)

adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor
- children under 12 years, ask a doctor

Other information

- store between 20-25°C (68-77°F)
- do not use if pouch is torn or open
- see side panel for lot number and expiration date

Inactive ingredients

carnauba wax*, castor oil*, corn starch, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, polyethylene glycol*, powdered cellulose, pregelatinized starch, propylene glycol, shellac, sodium starch glycolate, titanium dioxide

• contains one or more of these ingredients

Questions or comments?

1-800-570-8650

PRINCIPAL DISPLAY PANEL - 50 Pouch Box

See New Warnings Information & Directions

Compate to the Active Ingredients in Tylenol® Extra Strength *

 $ConRx^{TM}$

EXTRA STRENGTH

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

Acetaminophen

Pain Reliever - Fever Reducer

See New Warnings Information & Directions

Compare to the Active Ingredients in Tylenol® Extra Strength®



DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN Acetaminophen Pain Reliever - Fever Reducer

See New Warnings Information & Directions Compare to the Active Ingredients in Tylenol® Extra Strength



DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN Pain Reliever - Féver Reducer



Compare to the Active Ingredients in Tylenol® Extra Strength

50 Pouches of 2 Caplets Each



go boncyes of 2 Capleis Each

Pain Reliever - Fever Reducer uəudouiweiəəh

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN





Tylenol® Extra Strength: Compare to the Active Ingredients in

See New Warnings Information & Directions

Important: Read all product information before using. Keep this box for important information.

Drug Facts

Active ingredient (in each caplet) Acetaminophen 500 mg.

Purpose


Pain reliever/fever reducer


Uses
Interporarily relieves minor aches and pains due to:
Interporarily relieves minor aches and pains due to:
Interporarily relieves minor aches and pains due to:
Interporarily relieves

- Eminor pain of arthritis stoothache
- imuscular aches ipremenstrual and menstrual cramps

See New Warnings Information & Directions Compare to the Active Ingredients in Tylenol® Extra Strength







Eagle Distributors, Inc.

Los Angeles, CA 90011

CONRX EXTRA STRENGTH

acetaminophen tablet

Product Information				
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:68737-233	
Route of Administration	ORAL	DEA Schedule		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Acetaminophen (Acetaminophen)	Acetaminophen	500 mg	

Inactive Ingredients			
	Ingredient Name	Strength	ı
CARNAUBA WAX			
CASTOR OIL			
STARCH, CORN			
FD&C Red NO. 40			
ALUMINUM O XIDE			
HYPROMELLOSES			
MAGNESIUM STEARATE			
POLYETHYLENE GLYCOL 6000			
POWDERED CELLULOSE			
PROPYLENE GLYCOL			

SHELLAC	
SODIUM STARCH GLYCOLATE TYPE A CORN	
TITANIUM DIO XIDE	

Product Characteristics				
Color	RED	Score	2 pieces	
Shape	OVAL	Size	18 mm	
Flavor		Imprint Code	CRX	
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:68737-233-17	50 in 1 BOX			
1		2 in 1 POUCH			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part343	02/15/2013		

Labeler - Eagle Distributors, Inc. (929837425)

Revised: 2/2013 Eagle Distributors,Inc.