

**SJ3- lidocaine hcl, tetracaine hcl, benzocaine spray**  
**Dermal Source, Inc.**

-----  
**Drug Facts - For use by licensed professionals only**

<b>Active Ingredients</b>		<b>Purpose</b>
Lidocaine Hydrochloride	5%	Topical Anesthetic
Tetracaine Hydrochloride	1%	Topical Anesthetic
Benzocaine	12%	Topical Anesthetic

**Uses: External Use Only. Do Not Swallow.** Temporarily supplies pain relief to either intact or open skin due to pain sensitive procedures.

**WARNINGS - Keep out reach of children**

**Do not use if you have**

- seizures or liver disease
- if pregnant or breast feeding
- a known allergy or sensitivity to any of the components of this product. If sensitivity occurs, discontinue use, and seek medical attention. If condition worsens or symptoms persist for more than seven days or clear up and occur again within a few days, discontinue use of this product and consult a doctor. Do not use in large quantities, particularly over raw surfaces or blistered areas.

Avoid contact with eyes, in case of accidental contact with eyes, rinse immediately with copious amounts of eyewash and seek treatment by an eye care specialist. If accidentally swallowed, get medical help immediately.

**When using this product** you may notice temporary blanching or redness of the skin where liquid is applied.

**Directions: Sensitivity test advised prior to use.**

Apply to intact skin to clean prior to application of predeadener. Use to wipe off predeadener. During procedure, swipe across skin and wait for numbness to develop (90 seconds). Not appropriate for eyeliner. You may reapply as necessary to continue anesthesia. Discontinue use if sensitivity occurs. Remove product before continuing with procedure.

**Inactive Ingredients:** Propylene Glycol, Ethoxydiglycol, Tetrasodium EDTA.

**Other information:** Store in a cool dark place or refrigerate. Discard after expiration date.

**Questions?** Contact distributor on product label.

**PRINCIPAL DISPLAY PANEL**

**SUPERIOR**

**SJ3**


***SuperJuice 3***

anesthetic for use during a pain sensitive procedure

**4 oz.**

Distributed by: DERMAL SOURCE  
Portland, OR 97232

**[www.dermalsource.com](http://www.dermalsource.com)**  
**1-866-568-3223**



Distributed by: DERMAL SOURCE  
Portland, OR 97232  
[www.dermalsource.com](http://www.dermalsource.com)  
1-866-568-3223

#### Drug Facts - For use by licensed professionals only

Active Ingredients		Purpose
Lidocaine Hydrochloride	5%	Topical Anesthetic
Tetracaine Hydrochloride	1%	Topical Anesthetic
Benzocaine	12%	Topical Anesthetic

**Uses: External Use Only. Do Not Swallow.** Temporarily supplies pain relief to either intact or open skin due to pain sensitive procedures.

#### Warnings - Keep out of reach of children

##### Do not use if you have

- seizures or liver disease
- if pregnant or breast feeding
- a known allergy or sensitivity to any of the components of this product. If sensitivity occurs, discontinue use, and seek medical attention. If condition worsens or symptoms persist for more than seven days or clear up and occur again within a few days, discontinue use of this product and consult a doctor. Do not use in large quantities, particularly over raw surfaces or blistered areas.

Avoid contact with eyes, in case of accidental contact with eyes, rinse immediately with copious amounts of eyewash and seek treatment by an eye care specialist. If accidentally swallowed, get medical help immediately.

**When using this product** you may notice temporary blanching or redness of the skin where liquid is applied.

#### Directions: Sensitivity test advised prior to use.

Apply to intact skin to clean prior to application of predeadener. Use to wipe off predeadener. During procedure, swipe across skin and wait for numbness to develop (90 seconds). Not appropriate for eyeliner. You may reapply as necessary to continue anesthesia. Discontinue use if sensitivity occurs. Remove product before continuing with procedure.

**Inactive Ingredients:** Propylene Glycol, Ethoxydiglycol, Tetrasodium EDTA.

**Other information:** Store in cool dark place or refrigerate. Discard after expiration date.

**Questions?** Contact distributor on product label.

## SJ3

lidocaine hcl, tetracaine hcl, benzocaine spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:80069-011
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Lidocaine Hydrochloride</b> (UNII: V13007Z41A) (Lidocaine - UNII:98PI200987)	Lidocaine Hydrochloride Anhydrous	50 mg in 1 mL
<b>Tetracaine Hydrochloride</b> (UNII: 5NF5D4OPCI) (Tetracaine - UNII:0619F35CGV)	Tetracaine Hydrochloride	10 mg in 1 mL

<b>Benzocaine</b> (UNII: U3RSY48JW5) (Benzocaine - UNII:U3RSY48JW5)	Benzocaine	120 mg in 1 mL
---	------------	-------------------

**Inactive Ingredients**

Ingredient Name	Strength
<b>Propylene Glycol</b> (UNII: 6DC9Q167V3)	
<b>Diethylene Glycol Monoethyl Ether</b> (UNII: A1A1I8X02B)	
<b>Edetate Sodium</b> (UNII: MP1J8420LU)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80069-011-01	118.294 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	08/15/2021	11/25/2024

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/15/2021	11/25/2024

**Labeler** - Dermal Source, Inc. (183535629)

**Establishment**

Name	Address	ID/FEI	Business Operations
HTO Nevada, Inc. (dba Kirkman)		117115846	manufacture(80069-011)

Revised: 5/2024

Dermal Source, Inc.