OXYGEN- oxygen gas Mid-Cities Home Medical Delivery Service L L C

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.


Oxygen

Principal for Oxygen Product

OXYGEN, COMPRESSED USP UN 1072

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.



DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

@Applied Home Healthcare Equipment 2023

Read and follow the Safety Data Sheet (SDS) before use.

when empty.			
2 °C (125 °F). CAS NO: 7782-44-7			
Contents	Size		
113 Liters	□ M4		
165 Liters	□ M6		
255 Liters	□С		
425 Liters	□D		
680 Liters	□E		
7080 Liters	□Н		
Liters	□ Other		

OXYGEN

Mid Cities Medical 4279 S Santa Rita Ave. Tucson, AZ 85714 833-986-4267 **OXYGEN**

COMPRESSED

USP

UN 1072

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °c (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency

and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen

content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

EXPIRATION DATE

Representative Labeling pursuant to 21 CFR 207.3 (10)

OXYGEN

oxygen gas

Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:84208-001	
Route of Administration	RESPIRATORY (INHALATION)			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84208-001- 01	165 L in 1 CYLINDER; Type 0: Not a Combination Product	03/21/2024	
2	NDC:84208-001- 02	255 L in 1 CYLINDER; Type 0: Not a Combination Product	03/21/2024	
3	NDC:84208-001- 03	425 L in 1 CYLINDER; Type 0: Not a Combination Product	03/21/2024	
4	NDC:84208-001- 04	680 L in 1 CYLINDER; Type 0: Not a Combination Product	03/21/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		03/21/2024	

Labeler - Mid-Cities Home Medical Delivery Service L L C (362661832)

Establishment					
Name	Address	ID/FEI	Business Operations		
Mid-Cities Home Medical Delivery Service L L C		362661832	manufacture(84208-001)		

Revised: 3/2024 Mid-Cities Home Medical Delivery Service L L C