

HARRIS TEETER CLEARLAX- polyethylene glycol 3350 powder, for solution
Harris Teeter, LLC

Harris Teeter, LLC Clearlax® Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
 - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
 - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
 - ensure that the powder is fully dissolved before drinking
 - do not drink if there are any clumps
 - use once a day
 - use no more than 7 days
- children 16 years of age or under: ask a doctor

Other Information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

none

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredient in MiraLAX®

CLEARLAX®

Polyethylene Glycol 3350 Powder for Solution, Osmotic Laxative

Relieves Occasional Constipation (Irregularity)

Softens Stool

Unflavored Powder

Grit Free

30 ONCE-DAILY DOSES

NET WT 17.9 OZ (510 g)



Polyethylene Glycol 3350 increases frequency of bowel movements and softens the stool. Dissolves in Any Beverage

<p>Drug Facts</p> <p>Active ingredient (in each dose) Purpose Polyethylene Glycol 3350, 17 g (cap filled to line).....Osmotic Laxative</p> <p>Use ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 1 to 3 days</p> <p>Warnings Allergy alert: Do not use if you are allergic to polyethylene glycol Do not use if you have kidney disease, except under the advice and supervision of a doctor Ask a doctor before use if you have ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome Ask a doctor or pharmacist before use if you are taking a prescription drug When using this product you may have loose, watery, more frequent stools Stop use and ask a doctor if ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. ■ you get diarrhea ■ you need to use a laxative for longer than 1 week If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p>	<p>Drug Facts (continued)</p> <p>Directions ■ do not take more than directed unless advised by your doctor ■ the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap) ■ adults and children 17 years of age and older: ■ fill to top of white section in cap which is marked to indicate the correct dose (17 g) ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ ensure that the powder is fully dissolved before drinking ■ do not drink if there are any clumps ■ use once a day ■ use no more than 7 days ■ children 16 years of age or under: ask a doctor</p> <p>Other information ■ store at 20°-25°C (68°-77°F) ■ tamper-evident: do not use if printed foil seal under cap is missing, open or broken</p> <p>Inactive ingredients none</p> <p>Questions or comments? 1-800-710-0260</p> <p>*This product is not manufactured or distributed by Bayer HealthCare, LLC distributor of MiraLAX®. PROUDLY DISTRIBUTED BY: HARRIS TEETER, LLC MATTHEWS, NC 28106</p> <p>your plus guarantee. 1-800-432-6111 or harris@harris-teeter.com</p> <p style="text-align: center;">0 72036 71443 5</p> <p style="text-align: right;">• Sugar Free</p>
--	--

30LD8 HT B3

HARRIS TEETER CLEARLAX

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69256-306
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69256-306-03	510 g in 1 BOTTLE; Type 0: Not a Combination Product	03/21/2015	
2	NDC:69256-306-02	238 g in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	03/21/2015	

Labeler - Harris Teeter, LLC (048463103)

Revised: 6/2020

Harris Teeter, LLC